

Certificate of Analysis

NAME
1234 STREET NAME
CITY, STATE 00102

Certificate ID #: 00000
Report Date: 01-01-2019
Customer PO #: 20386257
Receipt Date: 12-28-2018
Test Completion Date: 01-01-2019

ANALYTICAL TESTING RESULTS

Customer Lot #: 1807059 Lab Sample ID: 501513

Description: Sparta Nutrition Keto BCAA, Amino Supplement

Analysis Method: Title						
Analyte	Specification	Results	U/M	Pass/Fail	MDL	MRL
beta-Hydroxybutyrate	Rprt	5000	mg/serv	Pass	N/A	N/A

Analysis Method: Title						
Analyte	Specification	Results	U/M	Pass/Fail	MDL	MRL
beta-Hydroxybutyrate	Rprt	5000	mg/serv	Pass	N/A	N/A

Analysis Method: Title						
Analyte	Specification	Results	U/M	Pass/Fail	MDL	MRL
beta-Hydroxybutyrate	Rprt	5000	mg/serv	Pass	N/A	N/A

Analysis Method: Title						
Analyte	Specification	Results	U/M	Pass/Fail	MDL	MRL
beta-Hydroxybutyrate	Rprt	5000	mg/serv	Pass	N/A	N/A

Analysis Method: Title						
Analyte	Specification	Results	U/M	Pass/Fail	MDL	MRL
beta-Hydroxybutyrate	Rprt	5000	mg/serv	Pass	N/A	N/A

GL-111-Form-01-C



Analysis Method: Title						
Analyte	Specification	Results	U/M	Pass/Fail	MDL	MRL
beta-Hydroxybutyrate	Rprt	5000	mg/serv	Pass	N/A	N/A

Analysis Method: Title						
Analyte	Specification	Results	U/M	Pass/Fail	MDL	MRL
beta-Hydroxybutyrate	Rprt	5000	mg/serv	Pass	N/A	N/A

LABORATORY COMMENTS:

Certificate ID #: 00000

Reviewed By: _____

Date: _____

Approved By: _____

LABORATORY NOTES:

Samples were received in acceptable condition unless otherwise noted in the laboratory comments section. This report may not be distributed or reproduced except in full, without written permission from Dyad Labs. Client shall not at any time misrepresent or alter the contents of this report. Any violation of these conditions voids this report. Dyad Labs assumes no responsibility, and client hereby waives all claims against Dyad Labs, for interpretation of such results. The results apply only to the sample(s) provided by the client. // work is done in accordance with Dyad Labs Terms and Conditions of Sale. Full text available on www.dyadlabs.com/Terms

RESULT SYMBOL DEFINITION:

MDL = Method Detection Limit, a statistical measurement of method/media/instrument sensitivity

MRL = Method Reporting Limit, a verified value of method/media/instrument sensitivity

ND = Not Detected, testing result not detected above the MDL or MRL

^ = ISO 17025 certified method

* = Analysis performed at a subcontract location

*** = No result could be reported, see above comments

GL-111-Form-01-C

